| L Number | Hits | Search Text | DB | Time stamp |
|-------------|-------|---|-------|------------------------------|
| 1 | 1 | "6760777" | USPAT | 2004/09/10 |
| 2 | 14 | ibgp | USPAT | 12:18 2004/09/10 12:18 |
| 15 | 1 | "6633891" | USPAT | 2004/09/10 |
| 16 | 813 | (link\$2 network\$2) with (test\$3 analy\$6) with rout\$2 | USPAT | 12:18 2004/09/10 12:18 |
| 17 | 906 | ((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and traffic\$2 | USPAT | 2004/09/10 12:19 |
| 18 | 760 | ((link\$2 network\$2) with (test\$3 analy\$6) with | USPAT | 2004/09/10 |
| 19 | 31305 | rout\$3) and automat\$3 (link\$2 network\$2) with (test\$3 analysis) | USPAT | 12:19 2004/09/10 |
| 20 | 742 | ((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) with rout\$3 and automat\$2 | USPAT | 12:20 2004/09/10 12:21 |
| 21 | 620 | (link\$2 network\$2) with (test\$3 analysis) with rout\$2 | USPAT | 2004/09/10 12:21 |
| 22 | 76 | ((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3 with traffic\$2) and "709" | USPAT | 2004/09/10 12:21 |
| 23 | 159 | (link\$2 network\$2) with (test\$3 analy\$6) with rout\$3 with traffic\$2 | USPAT | 2004/09/10 12:21 |
| 24 | 1635 | (link\$2 network\$2) with (test\$3 analy\$6) with rout\$3 | USPAT | 2004/09/10 12:21 |
| 25 | 286 | (((link\$2 network\$2) with (test\$3 analy\$6) with rout\$3) and traffic\$2) and "709" | USPAT | 2004/09/10 |
| 26 | 520 | | USPAT | 2004/09/10 12:22 |
| 27 | 469 | (| USPAT | 2004/09/10 12:22 |
| 28 | 352 | (((link\$2 network\$2) with (test\$3 analysis)) and load adj balanc\$3) and packet\$3 | USPAT | 2004/09/10 12:22 |
| 29 | 124 | | USPAT | 2004/09/10 12:22 |
| 30 | 1 | "709" and rout\$3 with test adj packet | USPAT | 2004/09/10 12:22 |
| 31 | 43 | "709" and rout\$3 with test with packet | USPAT | 2004/09/10 12:22 |
| 32 | 118 | "709" and (network link) with test with packet | USPAT | 2004/09/10 12:22 |
| 33 | 1185 | (link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 | USPAT | 2004/09/10 12:23 |
| 34 | 413 | (link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 and "709" | USPAT | 2004/09/10 12:23 |
| 35 | 478 | 1 | USPAT | 2004/09/10 12:23 |
| 36 | 30 | (link\$2 network\$2) with (test\$3 analy\$6) with traffic\$2 with router\$2 | USPAT | 2004/09/10 12:23 |
| 37 | 74 | i ' | USPAT | 2004/09/10 12:23 |
| 38 | 11122 | network\$3 with test\$3 | USPAT | 2004/09/10 12:24 |
| 39 | 357 | network\$3 with test\$3 with traffic\$3 | USPAT | 2004/09/10 12:25 |
| 40 | 50 | network\$3 with test\$3 with traffic\$3 with rout\$3 | USPAT | 2004/09/10 12:25 |
| 41 | 1 | "6141410" | USPAT | 2004/09/10 |
| 42 | 828 | FREEDMAN.in. | USPAT | 2004/09/10 |

| 43 | 46 | "multi-homed" | USPAT | 2004/09/10 |
|----|--------|--|-----------------------|-----------------------|
| 44 | 47 | multi adj homed | USPAT | 12:25 2004/09/10 |
| 45 | 42 | | | 12:25 |
| 45 | 42 | xml\$2 with cach\$3 | USPAT; EPO; JPO; | 2004/09/10 12:25 |
| | | | DERWENT; | -1.23 |
| 46 | 208247 | xml\$2 with cach\$3 xor ibm | IBM_TDB USPAT; | 2004/09/10 |
| | | Allique Wiell addings Not 15 W | EPO; JPO; | 12:27 |
| İ | | | DERWENT; IBM_TDB | |
| 47 | 131 | xml with server and cach\$3 | USPAT; | 2004/09/10 |
| | , | | EPO; JPO; DERWENT; | 12:27 |
| 40 | | U.C.D. 4 F.D.D.D.II | IBM_TDB | 2004/201 |
| 48 | 6 | "6345292" | USPAT; EPO; JPO; | 2004/09/10 12:27 |
| | | | DERWENT; | |
| 49 | 2 | "6502106" | IBM_TDB USPAT | 2004/09/10 |
| 50 | 4 | "6360249" | USPAT | 12:27 2004/09/10 |
| 30 | 7 | 0300249 | USPAT | 12:27 |
| 51 | 141 | xml with server\$2 and cach\$3 | USPAT; | 2004/09/10 |
| | | | EPO; JPO; | 12:27 |
| | | | DERWENT; IBM_TDB | |
| 52 | 1 | ("6526580").PN. | USPAT | 2004/09/10 12:27 |
| 53 | 1 | ("6636845").PN. | USPAT | 2004/09/10 |
| 54 | 1 | ("6445784").PN. | USPAT | 12:27 2004/09/10 |
| 55 | 633 | (link network) same (test analy\$5) same | USPAT | 12:27 2004/09/10 |
| | | traffic\$2 same rout\$3 | | 12:27 |
| 56 | 147 | (link network) same (test analy\$5) same traffic\$2 same rout\$3 same router | USPAT | 2004/09/10 12:27 |
| 57 | 71 | (link network) same (test analy\$5) same | USPAT | 2004/09/10 |
| 58 | 3 | traffic\$2 same rout\$3 same router and "709" "6526580" | USPAT | 12:27 2004/09/10 |
| 59 | 3 | "6445784" | USPAT | 12:27 2004/09/10 |
| | | | | 12:27 |
| 60 | 5 | "6345292" | USPAT | 2004/09/10 12:27 |
| 61 | 227 | (link network) same test\$2 same traffic\$3 same | USPAT | 2004/09/10 |
| 62 | 60 | rout\$3 (link network) same test\$2 same traffic\$3 same | USPAT | 12:27 2004/09/10 |
| 63 | 16 | rout\$3 same set\$2 | | 12:28 2004/09/10 |
| | | (link network) same test\$2 same traffic\$3 same rout\$3 same set\$2 and "709" | USPAT | 12:28 |
| 64 | 67 | ((link network) same test\$2 same traffic\$3 same rout\$3) and "709" | USPAT | 2004/09/10 12:28 |
| 65 | 189 | (link\$2 network\$2) with test\$3 same traffic\$3 | USPAT; | 2004/09/10 |
| | | same rout\$3 | EPO; JPO; DERWENT; | 12:28 |
| 66 | | | IBM_TDB | 2004/00/40 |
| 66 | 55 | ((link\$2 network\$2) with test\$3 same traffic\$3 same rout\$3) and "709" | USPAT; EPO; JPO; | 2004/09/10 12:28 |
| | | | DERWENT; | |
| L | | | IBM_TDB | |

| 67 68 ((link\$2 network\$2) with test\$3 same traffic\$3 | USPAT; EPO; JPO; | 2004/09/10 |
|--|---------------------|---------------------|
| l came route3) and router | | 12:28 |
| same rout\$3) and router | DERWENT; | 12:28 |
| | • 1 | |
| 68 113 (link\$2 network\$2) same test\$3 same traffic\$3 | IBM_TDB USPAT; | 2004/00/10 |
| | 1 ' 1 | 2004/09/10 |
| same rout\$3 and router | EPO; JPO; | 12:28 |
| | DERWENT; | |
| 69 2 "6141410" | USPAT; | 2004/00/10 |
| 69 2 "6141410" | EPO; JPO; | 2004/09/10 |
| | DERWENT; | 12:28 |
| | IBM_TDB | |
| 70 57 icmp adj packet | USPAT; | 2004/09/10 |
| 70 S7 Ichip adj packet | EPO; JPO; | 12:28 |
| | DERWENT; | 12.20 |
| | IBM TDB | |
| 71 1050 load adj balanc\$3 same rout\$3 | USPAT; | 2004/09/10 |
| 1030 load adj balancas same rodcas | EPO; JPO; | 12:28 |
| | DERWENT; | 12.20 |
| | IBM TDB | |
| 72 453 (load adj balanc\$3 same rout\$3) and "709" | USPAT; | 2004/09/10 |
| 1/2 (load adj balancas same rodeas) and 703 | EPO; JPO; | 12:29 |
| | DERWENT; | 12.23 |
| | IBM_TDB | |
| 73 34 load adj balanc\$3 same rout\$3 same (test\$3 | USPAT; | 2004/09/10 |
| | EPO; JPO; | 12:29 |
| measur\$3) and "709" | DERWENT; | 12.29 |
| | IBM_TDB | |
| 74 2 "6141410" | USPAT; | 2004/00/10 |
| 74 2 ("6141410" | EPO; JPO; | 2004/09/10 12:29 |
| | DERWENT; | 12.29 |
| | IBM TDB | ļ |
| 75 24 probe same rout\$3 same network\$3 same | USPAT | 2004/09/10 |
| analy\$3 | 1031711 | 12:29 |
| 76 494 probe same network\$3 same analy\$3 | USPAT | 2004/09/10 |
| 70 Probe sume networks same analysis | 031711 | 12:29 |
| 77 166 probe same network\$3 same analy\$3 and routs | \$3 USPAT | 2004/09/10 |
| probe same networks same analysis and road | 1 | 12:29 |
| 78 67 probe same network\$3 same analy\$3 and | USPAT | 2004/09/10 |
| traffic\$3 | } | 12:29 |
| 79 762 icmp | USPAT | 2004/09/10 |
| | | 12:29 |
| 80 311 icmp same packet | USPAT | 2004/09/10 |
| | | 12:30 |
| 81 419 icmp same packet\$2 | USPAT | 2004/09/10 |
| | | 12:30 |
| 82 419 icmp same packet\$3 | USPAT | 2004/09/10 |
| | | 12:30 |
| 83 305 icmp with packet\$3 | USPAT | 2004/09/10 |
| | | 12:30 |
| 84 40 icmp with packet\$3 same prob\$3 | USPAT | 2004/09/10 |
| | | 12:30 |
| 85 26 bgp same test\$3 | USPAT | 2004/09/10 |
| | | 12:30 |
| 86 350 bgp | USPAT | 2004/09/10 |
| | | 12:30 |
| 87 24 probe with icmp | USPAT | 2004/09/10 |
| | | 12:30 |
| 4 destination\$3 near5 ip adj address same test\$3 | 3 USPAT | 2004/09/10 |
| near5 network | | 12:30 |
| 89 11 destination\$3 near5 ip adj address same test\$3 | 3 USPAT | 2004/09/10 |
| same network | | 12:30 |

| 90 | 41 | ip adj address near10 test\$3 same network | USPAT | 2004/09/10 12:30 |
|-----|-------|--|--|---------------------|
| 91 | 59 | ip adj address with test\$3 same (network link) | USPAT | 2004/09/10 |
| 92 | 6 | internal adj bgp | USPAT | 2004/09/10 12:30 |
| 93 | 16 | internal adj bgp ibgp | USPAT | 2004/09/10 12:30 |
| 94 | 20203 | (internal withbgp ibgp) and "709" | USPAT | 2004/09/10 12:32 |
| 95 | 17 | (internal with bgp ibgp) and "709" | USPAT | 2004/09/10 12:32 |
| 96 | 14 | computer with secur\$2 with router | USPAT | 2004/09/10 |
| 97 | 20 | computer\$3 with secur\$2 with router\$3 | USPAT | 2004/09/10 |
| 98 | 105 | computer\$3 with secur\$2 with router\$3 | USPAT; US-PGPUB; | 2004/09/10 12:32 |
| 99 | 34 | computer\$3 with secur\$2 with router\$3 | EPO; JPO; DERWENT USPAT; EPO; JPO; DERWENT | 2004/09/10 12:32 |
| 100 | 218 | computer\$3 same (secur\$2 encrypt\$4) same router\$3 | USPAT; EPO; JPO; DERWENT | 2004/09/10 12:32 |
| 101 | 139 | computer\$3 same (secur\$2) same router\$3 | USPAT; EPO; JPO; DERWENT | 2004/09/10 12:32 |
| 102 | 2661 | (content application backend) same cach\$3 same request\$3 | USPAT | 2004/09/10 12:34 |
| 103 | 115 | | USPAT | 2004/09/10 |
| 104 | 30 | ((content application backend) same cach\$3 same request\$3) same packag\$3 | USPAT | 2004/09/10 |
| 105 | 857 | ((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3) | USPAT | 2004/09/10 12:35 |
| 106 | 857 | (((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 | USPAT | 2004/09/10 12:36 |
| 107 | 704 | generat\$3)) same request\$3 ((((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3)) same request\$3) same (information\$2 data\$2 element\$2) | USPAT | 2004/09/10 12:36 |
| 108 | 747 | | USPAT | 2004/09/10 12:37 |
| 109 | 1236 | | USPAT | 2004/09/10 12:38 |
| 110 | 857 | (((content application backend) same cach\$3 same request\$3) same (packag\$3 form\$3 | USPAT | 2004/09/10 12:38 |
| 111 | 402 | generat\$3)) same (packag\$3 form\$3 generat\$3) ((content application backend) with (document\$2 file\$2 data\$2) same cach\$3 same request\$3) same (packag\$3 form\$3 generat\$3) | USPAT | 2004/09/10 12:39 |
| 112 | 213 | claussen.in. | USPAT | 2004/09/10 12:39 |
| 113 | 651 | computer\$2 same configur\$3 same router\$2 | USPAT | 2004/09/10 |
| 114 | 274 | computer\$2 with configur\$3 same router\$2 | USPAT | 2004/09/10 12:40 |

| 115 | 137 | computer\$2 with configur\$3 with router\$2 | USPAT | 2004/09/10 |
|-----|--------------|---|--------|---------------------|
| 116 | 69 | computer\$2 with configur\$3 with router\$2 and | USPAT | 12:40 2004/09/10 |
| 117 | 00 | "709" | | 12:40 |
| 117 | 83 | computer\$2 same secure same router\$2 | USPAT | 2004/09/10 12:40 |
| 118 | 354 | computer\$2 same (encrypt\$5 secur\$3) same | USPAT | 2004/09/10 |
| 119 | 480015 | router\$2 computer\$2 (encrypt\$5 secur\$3) with router\$2 | USPAT | 12:40 |
| | 400013 | computer \$2 (encrypt\$3 secur\$3) with router \$2 | USPAT | 2004/09/10 12:43 |
| 120 | 145 | | USPAT | 2004/09/10 |
| 121 | 134 | router\$2 computer\$2 same (encrypt\$5 secur\$3) with | USPAT | 12:43 2004/09/10 |
| 122 | 445 | router\$2 | | 12:43 |
| 122 | 115 | (client\$2 computer\$2) with (encrypt\$5 secur\$3) with router\$2 | USPAT | 2004/09/10 12:43 |
| 123 | 570 | (network link) same router same (test analy\$3) | USPAT | 2004/09/10 |
| 124 | 145 | (network link) same router same (test analy\$3) | USPAT | 12:43 2004/09/10 |
| | 143 | same traffic | OSFAT | 12:43 |
| 125 | 75 | (network link) same router same (test analy\$3) same traffic and ("709" "713") | USPAT | 2004/09/10 12:43 |
| 126 | 1 | "6141410" | USPAT | 2004/09/10 |
| 127 | 1126 | W700" and recommendation | LICEAT | 12:43 |
| 127 | 1136 | "709" and recommendation | USPAT | 2004/09/10 12:44 |
| 128 | 73 | "709" and recommendation same output | USPAT | 2004/09/10 |
| 129 | 12 | "709" and recommendation near5 output | USPAT | 12:44 2004/09/10 |
| 1 | } | | • | 12:45 |
| 130 | 26 | "709" and recommendation near5 (output display) | USPAT | 2004/09/10 12:45 |
| 131 | 10176 | "709" and display\$3 near5 (result\$3 data\$3) | USPAT | 2004/09/10 |
| 132 | 3670 | "709" and display\$3 adj (result\$3 data\$3) | USPAT | 12:47 2004/09/10 |
| | | | | 12:49 |
| 133 | 589 | "709" and display\$3 adj (result\$3 data\$3) same network\$3 | USPAT | 2004/09/10 12:49 |
| 134 | 37 | "709" and display\$3 adj (result\$3 data\$3) same | USPAT | 2004/09/10 |
| 135 | 41 | network\$3 same traffic\$3 "709" and display\$3 adj (result\$3 data\$3) same | USPAT | 12:49 2004/09/10 |
| 155 | - | network\$3 same (test\$3 analy\$3) | OSFAT | 12:49 |
| 136 | 109 | "709" and display\$3 adj (information result\$3 | USPAT | 2004/09/10 |
| | | data\$3) same (network\$3 link\$3) same (test\$3 analy\$3) | | 12:49 |
| 137 | 130 | "709" and (interface display\$3) adj (information | USPAT | 2004/09/10 |
| | | result\$3 data\$3) same (network\$3 link\$3) same (test\$3 analy\$3) | | 12:49 |
| 138 | 22 | "709" and (interface) adj (information result\$3 | USPAT | 2004/09/10 |
| | | data\$3) same (network\$3 link\$3) same (test\$3 analy\$3) | | 12:49 |
| 139 | 1476 | probe with network | USPAT | 2004/09/10 |
| 140 | 220 | probe with network and "709" | USPAT | 12:51 2004/09/10 |
| | | | | 12:51 |
| 141 | 83 | probe with network same rout\$3 and "709" | USPAT | 2004/09/10 12:51 |
| 142 | 449 | given adj ip | USPAT | 2004/09/10 |
| 143 | 128 | (given adj ip) and "709" | USPAT | 12:52 2004/09/10 |
| | | | | 12:52 |
| 144 | 120 | given adj "ip address" | USPAT | 2004/09/10 |
| | l | <u> </u> | | 12:52 |

| | г | | | |
|------------|------|---|-------|---------------------|
| 145 | 76 | (given adj "ip address") and "709" | USPAT | 2004/09/10 12:52 |
| 146 | 14 | (given adj "ip address") same destination | USPAT | 2004/09/10 12:52 |
| 147 | 8 | ((given adj "ip address") same destination) and "709" | USPAT | 2004/09/10 12:52 |
| 148 | 7 | ip adj table same destination and "709" | USPAT | 2004/09/10 12:52 |
| 149 | 217 | (output\$3 display\$3) same (result\$2 recommendation\$2) same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 150 | 132 | (output\$3 display\$3) with (result\$2 recommendation\$2) same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 151 | 23 | (output\$3 display\$3) with (result\$2 recommendation\$2) same test\$3 same (link network) same rout\$3 and "709" | USPAT | 2004/09/10 12:52 |
| 152 | 95 | (output\$3 display\$3) near5(result\$2 recommendation\$2) same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 153 | 16 | (output\$3 display\$3) near5 (result\$2 recommendation\$2) same test\$3 same (link network) same rout\$3 and "709" | USPAT | 2004/09/10 12:52 |
| 154 | 95 | | USPAT | 2004/09/10 12:52 |
| 155 | 2 | (output\$3 display\$3) same (recommendation\$3) same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 156 | 240 | (output\$3 display\$3) same result\$3 same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 157 | 196 | (show\$3 output\$3 display\$3) with result\$3 same test\$3 same (link network) and "709" | USPAT | 2004/09/10 12:52 |
| 158 | 37 | (show\$3 output\$3 display\$3) with result\$3 same test\$3 same (link network) same rout\$3 and "709" | USPAT | 2004/09/10 12:53 |
| 159 | 16 | internal adj bgp ibgp | USPAT | 2004/09/10 12:53 |
| 160 | 12 | internal adj bgp ibgp same rout\$3 | USPAT | 2004/09/10 12:53 |
| 161 | 5 | "6502135" | USPAT | 2004/09/10 12:53 |
| 162 | 10 | secure with client with router | USPAT | 2004/09/10 12:53 |
| 163 | 4925 | router same ("autonomous system" as) | USPAT | 2004/09/10 12:55 |
| 164 | 18 | router same ("autonomous system" as) same traffic same (analysis test\$3) | USPAT | 2004/09/10 12:55 |
| 165 | 2403 | (router same ("autonomous system" as)) and period\$5 | USPAT | 2004/09/10 12:57 |
| 166 | 1606 | (router same ("autonomous system" as)) and automat\$5 | USPAT | 2004/09/10 12:59 |
| 167 | 23 | router same ("autonomous system" as) same automat\$5 and "709" | USPAT | 2004/09/10 12:59 |
| 168 | 12 | router same automat\$5 same traffic and "709" | USPAT | 2004/09/10 12:59 |
| 169 170 | 202 | router same automat\$5 same analysis and "709" | USPAT | 2004/09/10 |
| 170 | 283 | (analysis test) with traffic same network and "709" | USPAT | 2004/09/10 12:59 |
| 171 | 234 | ((analysis test) with traffic same network and "709") and packet\$3 | USPAT | 2004/09/10 12:59 |
| 1/2 | 31 | (analysis test) with traffic same network same (ip "ip address") and "709" | USPAT | 2004/09/10 12:59 |

| 173 | 376 | traffic adj analysis | USPAT | 2004/09/10 |
|-----|-----|--|-------|------------------------------|
| 174 | 114 | (traffic adj analysis) and "709" | USPAT | 12:59 2004/09/10 |
| 175 | 114 | ((traffic adj analysis) and "709") and (link\$3 | USPAT | 12:59 2004/09/10 |
| 176 | 1 | network\$3 packet\$3) ((traffic adj analysis) and "709") and | USPAT | 12:59 2004/09/10 |
| 177 | 84 | "autonomous system" traffic adj analysis same (network\$3 link\$3 | USPAT | 12:59 2004/09/10 |
| 178 | 84 | packet\$3) and "709" traffic adj analysis same (network\$3 link\$3 | USPAT | 12:59 2004/09/10 |
| 179 | 63 | packet\$3) and "709" traffic adj analysis same (network\$3 link\$3 | USPAT | 12:59 2004/09/10 |
| 180 | 10 | , | USPAT | 12:59 2004/09/10 |
| 181 | 187 | packet\$3) same (ip "ip address") and "709" analysis same (network\$3 link\$3 packet\$3) | USPAT | 12:59 2004/09/10 |
| 182 | 3 | same (ip "ip address") and "709" analysis same (network\$3 link\$3 packet\$3) same (ip "ip address") and "709" and | USPAT | 12:59 2004/09/10 12:59 |
| 183 | 187 | "autonomous system" analysis same (network\$3 link\$3 packet\$3) | USPAT | 2004/09/10 |
| 184 | 187 | same (ip "ip address") and "709" analysis same (network\$3 link\$3 packet\$3) | USPAT | 13:00 2004/09/10 |
| 185 | 110 | | USPAT | 13:00 2004/09/10 |
| 186 | 133 | (ip "ip address\$3") and "709" load adj balanc\$3 with (ip "ip address\$3") | USPAT | 13:00 2004/09/10 |
| 187 | 133 | load adj balanc\$3 with (ip ip adj address\$3) | USPAT | 13:00 2004/09/10 13:00 |
| 188 | 1 | load adj balanc\$3 with (ip ip adj address\$3) same analy\$5 | USPAT | 2004/09/10 13:00 |
| 189 | 40 | , . | USPAT | 2004/09/10 13:00 |
| 190 | 10 | traffic adj analysis with packet\$3 and "709" | USPAT | 2004/09/10 |
| 191 | 57 | load adj balanc\$3 with (ip ip adj address\$3) same (packet\$3) | USPAT | 2004/09/10 |
| 192 | 21 | analysis with (ip "ip address\$3") same destination same rout\$3 | USPAT | 2004/09/10 13:00 |
| 193 | 484 | traffic adj analy\$5 | USPAT | 2004/09/10 13:00 |
| 194 | 146 | (traffic adj analy\$5) and "709" | USPAT | 2004/09/10 13:00 |
| 195 | 104 | ((traffic adj analy\$5) and "709") and (ip "ip address\$3") | USPAT | 2004/09/10 13:00 |
| 196 | 842 | (analy\$3 test) same packet\$3 same (network link) and "709" | USPAT | 2004/09/10 13:01 |
| 197 | 582 | (analy\$3 test) same packet\$3 same (network link) and (ip "ip address\$3") and "709" | USPAT | 2004/09/10 |
| 198 | 434 | | USPAT | 2004/09/10 13:01 |
| 199 | 268 | | USPAT | 2004/09/10 13:01 |
| 200 | 144 | | USPAT | 2004/09/10 13:01 |
| 201 | 201 | (analy\$3 test) same packet\$3 same (network link) and (ip "ip address\$3") same rout\$3 same (select\$3 choos\$3) and "709" | USPAT | 2004/09/10 13:01 |

| 202 | 3 | "6473405" | USPAT | 2004/09/10 |
|-----|------|--|--------|-----------------------------------|
| | _ | | 001711 | 13:01 |
| 203 | 611 | (analy\$3 test) and packet\$3 and (network link) and (ip "ip address\$3") same rout\$3 same (select\$3 choos\$3) and "709" | USPAT | 2004/09/10 13:02 |
| 204 | 519 | (analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and "709" | USPAT | 2004/09/10 13:02 |
| 205 | 519 | (analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and "709" | USPAT | 2004/09/10 13:02 |
| 206 | 413 | (analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and destination and"709" | USPAT | 2004/09/10 13:02 |
| 207 | 78 | ((analy\$3 test) with (network link) same rout\$3 and packet\$3 and (ip "ip address\$3") and destination and "709") and load adj balanc\$3 | USPAT | 2004/09/10 13:02 |
| 208 | 56 | load adj balance\$3 same packet\$3 same rout\$3 | USPAT | 2004/09/10 13:02 |
| 209 | 227 | (analy\$3 test) with (network link) same rout\$3 same packet\$3 and (ip "ip address\$3") and "709" | USPAT | 2004/09/10 |
| 210 | 617 | (analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same rout\$3 same packet\$3 and (ip "ip address\$3") and "709" | USPAT | 2004/09/10 13:03 |
| 211 | 207 | (analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same rout\$3 same packet\$3 same (ip "ip address\$3") and "709" | USPAT | 2004/09/10 13:03 |
| 212 | 2475 | (analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and "709" | USPAT | 2004/09/10 13:05 |
| 213 | 961 | (analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and "709" | USPAT | 2004/09/10 13:05 |
| 214 | 247 | (analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) same rout\$3 and "709" | USPAT | 2004/09/10 13:05 |
| 215 | 961 | (analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) and "709" | USPAT | 2004/09/10 13:06 |
| 216 | 258 | (analy\$5 test\$3 monitor\$3) with packet\$3 with (network\$2 link\$2) same traffic\$3 and "709" | USPAT | 2004/09/10 13:06 |
| 217 | 375 | (analy\$5 test\$3 monitor\$3) with (network\$2 link\$2) same packet\$3 same traffic\$3 and "709" | USPAT | 2004/09/10 13:06 |
| 218 | 16 | load adj balanc\$3 same (test\$3 analyz\$3) with (link\$3 (ip "ip address\$3")) | USPAT | 2004/09/10 13:06 |
| 219 | 1 | "6141410" | USPAT | 2004/09/10 13:06 |
| 220 | 9 | "5848055" | USPAT | 2004/09/10 |
| 221 | 62 | "5402478" "5377363" | USPAT | 2004/09/10 13:06 |
| 222 | 1 | "5377262" "6141410" | USPAT | 2004/09/10 13:06 |
| 225 | 756 | | USPAT | 2004/09/10 13:06 |
| 225 | 297 | (network link) same traffic near5 analy\$5 | USPAT | 2004/09/10 13:07 |
| 227 | 249 | (network link) same traffic near5 analy\$5 and "709" (network link) same traffic near3 analy\$5 and | USPAT | 2004/09/10 13:07 |
| 228 | 868 | "709" | USPAT | 2004/09/10 13:07 |
| 229 | 245 | packet\$3 near5 (test\$3 analy\$3) and "709" packet\$3 near5 (test\$3 analy\$3) same rout\$3 | USPAT | 2004/09/10 13:07 |
| 230 | 150 | and "709" packet\$3 near5 (test\$3 analy\$3) same rout\$3 packet\$3 near5 (analy\$3) same rout\$3 and | USPAT | 2004/09/10 13:07 |
| 231 | 115 | "709" traffic adj analys\$5 and "709" | USPAT | 2004/09/10 13:07 2004/09/10 |
| | 113 | Game daj anaryspo and 705 | USPAI | 13:07 |

| | | | _ | |
|-----|------|---|--------|------------|
| 233 | 136 | "autonomous system" and packet\$2 | USPAT | 2004/09/10 |
| 224 | | | | 13:08 |
| 234 | 52 | "autonomous system" and (network link) same | USPAT | 2004/09/10 |
| | J | (analy\$6) | | 13:08 |
| 235 | 48 | local\$3 same analy\$5 same data\$3 same | USPAT | 2004/09/10 |
| | | destination\$3 and "709" | | 13:08 |
| 236 | 469 | analy\$5 same (data\$3 traffic\$3) same | USPAT | 2004/09/10 |
| | | destination\$3 and "709" | | 13:08 |
| 237 | 2978 | rout\$3 same (data\$3 traffic\$3) same | USPAT | 2004/09/10 |
| | | destination\$3 and "709" | | 13:10 |
| 238 | 1140 | (rout\$3 same (data\$3 traffic\$3) same | USPAT | 2004/09/10 |
| | | destination\$3 and "709") and analy\$5 | | 13:11 |
| 239 | 4096 | (analys\$5 evaluat\$5 monitor\$5) same rout\$3 | USPAT | 2004/09/10 |
| | | and "709" | | 13:13 |
| 240 | 687 | (analys\$5 evaluat\$5 monitor\$5) same rout\$3 | USPAT | 2004/09/10 |
| | | same (destination ip "ip address") and "709" | | 13:14 |
| 241 | 52 | (evaluat\$3) same (data\$3 traffic\$3) same rout\$5 | USPAT | 2004/09/10 |
| | | same (destination\$3 ip "ip address") and "709" | | 13:14 |
| 242 | 368 | | USPAT | 2004/09/10 |
| | | | 05.70 | 13:14 |
| 243 | 218 | "autonomous system" and rout\$3 | USPAT | 2004/09/10 |
| | | datamamada ayatem dha radtaa | 05/7/ | 13:14 |
| 244 | 74 | "autonomous system" and rout\$3 and "709" | USPAT | 2004/09/10 |
| | , , | datonomous system and routes and 705 | OSIAI | 13:14 |
| 248 | 16 | analy\$5 near5 outgoing near5 packet\$3 | USPAT | 2004/09/10 |
| | | analyts nears satgoing nears packets | USIAI | 13:14 |
| 249 | 477 | analy\$5 near5 packet\$3 same rout\$3 | USPAT | 2004/09/10 |
| 2.3 | 7,, | dialy \$5 ficulo packet \$5 Same roat \$5 | USFAT | 13:14 |
| 250 | 335 | analy\$5 near3 packet\$3 same rout\$3 | USPAT | 2004/09/10 |
| 250 | 333 | analy \$5 fied 5 packet \$5 Same Tout \$5 | USFAT | 13:15 |
| 251 | 73 | analy\$5 near3 packet\$3 same rout\$3 same | USPAT | 2004/09/10 |
| 231 | /3 | traffic\$3 | USFAT | 13:15 |
| 252 | 103 | analy\$5 near3 packet\$3 same rout\$3 same (ip | USPAT | 2004/09/10 |
| 252 | 103 | "ip address\$3") | 0317(1 | 13:15 |
| 254 | 3 | analy\$5 near3 packet\$3 same (ip "ip | USPAT | 2004/09/10 |
| 237 | , | analyss hears packetss same (ip ip address\$3") near5 set | USFAI | 13:15 |
| 255 | 14 | analy\$5 near3 packet\$3 same (ip "ip | USPAT | 2004/09/10 |
| 233 | 14 | anarys5 near5 packets5 same (ip ip address\$3") near5 table | USFAI | 13:15 |
| 257 | 10 | "igp" same packet\$3 same rout\$3 and "709" | USPAT | |
| 23/ | 10 | i igh saille hackerbs saille iourbs alla 709 | USFAI | 2004/09/10 |
| 258 | 23 | "ign" came route2 and "700" | LICDAT | 13:15 |
| 230 | 23 | "igp" same rout\$3 and "709" | USPAT | 2004/09/10 |
| 259 | 30 | "ian" and "700" | LICDAT | 13:15 |
| 233 | 29 | "igp" and "709" | USPAT | 2004/09/10 |
| 260 | 260 | "autanamaus sustam" | LICDAT | 13:15 |
| 200 | 368 | "autonomous system" | USPAT | 2004/09/10 |
| 261 | 70 | Hautanamana avakasall and 1170011 | LICDAT | 13:15 |
| 261 | 79 | "autonomous system" and "709" | USPAT | 2004/09/10 |
| 262 | | Herrican and a contract and a secretary and a second and | HCDAT | 13:15 |
| 262 | 56 | "autonomous system" same rout\$3 and "709" | USPAT | 2004/09/10 |
| L | L | <u> </u> | L | 13:15 |